

according to Regulation (EC) No. 453/2010

Date of issue: 25/02/2015 Revision date: Version: 1.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

**Product identifier** 

Product form : Mixture Product name : Z182 : 1K Primer Product group

## Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial

For professional use only

Function or use category : Primer

#### 1.2.2. Uses advised against

No additional information available

#### Details of the supplier of the safety data sheet

**U-POL LIMITED Denington Road** 

NN8 2QH Wellingborough - UK

T +44 (0) 1933 230310 - F +44 (0) 1933 425797 technical.department@u-pol.com - www.u-pol.com

## **Emergency telephone number**

**Emergency number** : +44 1933 230310 (07:30 - 17:00hrs UK time)

## **SECTION 2: Hazards identification**

## Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flam. Liq. 3 H226 H302 Acute Tox. 4 (Oral) Acute Tox. 4 (Dermal) H312 Acute Tox. 4 (Inhalation) H332 Skin Irrit. 2 H315 H411 Aquatic Chronic 2

Full text of H-phrases: see section 16

## Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Xn; R20/21/22 Xi; R38 N; R51/53

Full text of R-phrases: see section 16

#### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. **Label elements**

## Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)







GHS02

Signal word (CLP) : Warning

H226 - Flammable liquid and vapour Hazard statements (CLP)

H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled

H315 - Causes skin irritation

H411 - Toxic to aquatic life with long lasting effects

17/03/2015 EN (English) SDS Ref.: Z182 1/11

# Safety Data Sheet

according to Regulation (EC) No. 453/2010

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking

P261 - Avoid breathing fume, vapours, spray P264 - Wash hands thoroughly after handling P273 - Avoid release to the environment

P280 - Wear protective gloves, face protection, protective clothing

P312 - Call a doctor if you feel unwell

EUH phrases : EUH208 - Contains 2-butanone oxime, dipentene. May produce an allergic reaction

## 2.3. Other hazards

No additional information available

# **SECTION 3: Composition/information on ingredients**

## 3.1. Substance

Not applicable

## 3.2. Mixture

Name	Product identifier	%	Classification according to Directive 67/548/EEC
xylene	(CAS No) 1330-20-7 (EC no) 215-535-7 (EC index no) 601-022-00-9	23 - 43	R10 Xn; R20/21 Xi; R38
ethylbenzene	(CAS No) 100-41-4 (EC no) 202-849-4 (EC index no) 601-023-00-4	5 - 23	F; R11 Xn; R20
HYDROCARBONS C9 - 10 N-ALKANES, ISOALKANES, CYCLICS, AROMATICS	(EC no) 927-344-2	5 - 23	Xn; R65 R10 R66 R67 R52/53
trizinc bis(orthophosphate)	(CAS No) 7779-90-0 (EC no) 231-944-3 (EC index no) 030-011-00-6	< 100	N; R50/53
dipentene	(CAS No) 138-86-3 (EC no) 205-341-0 (EC index no) 601-029-00-7	< 5	R10 Xi; R38 R43 N; R50/53
2-butanone oxime	(CAS No) 96-29-7 (EC no) 202-496-6 (EC index no) 616-014-00-0	< 5	Carc.Cat.3; R40 Xn; R21 Xi; R41 R43
N,N-dimethylaniline	(CAS No) 121-69-7 (EC no) 204-493-5 (EC index no) 612-016-00-0	< 5	Carc.Cat.3; R40 T; R23/24/25 N; R51/53
Name	Product identifier	Specific co	oncentration limits
xylene	(CAS No) 1330-20-7 (EC no) 215-535-7 (EC index no) 601-022-00-9	(C >= 12.5) X	(n;R20/21
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
xylene	(CAS No) 1330-20-7 (EC no) 215-535-7 (EC index no) 601-022-00-9	23 - 43	Flam. Liq. 3, H226 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Irrit. 2, H315
ethylbenzene	(CAS No) 100-41-4 (EC no) 202-849-4 (EC index no) 601-023-00-4	5 - 23	Flam. Liq. 2, H225 Acute Tox. 4 (Inhalation), H332 STOT RE 2, H373 Asp. Tox. 1, H304
HYDROCARBONS C9 - 10 N-ALKANES, ISOALKANES, CYCLICS, AROMATICS	(EC no) 927-344-2	5 - 23	STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 3, H412
trizinc bis(orthophosphate)	(CAS No) 7779-90-0 (EC no) 231-944-3 (EC index no) 030-011-00-6	< 100	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
dipentene	(CAS No) 138-86-3 (EC no) 205-341-0 (EC index no) 601-029-00-7	< 5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

17/03/2015 EN (English) SDS Ref.: Z182 2/11

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2-butanone oxime	(CAS No) 96-29-7 (EC no) 202-496-6 (EC index no) 616-014-00-0	< 5	Carc. 2, H351 Acute Tox. 4 (Dermal), H312 Eye Dam. 1, H318 Skin Sens. 1, H317
N,N-dimethylaniline	(CAS No) 121-69-7 (EC no) 204-493-5 (EC index no) 612-016-00-0	< 5	Carc. 2, H351 Acute Tox. 3 (Inhalation), H331 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Oral), H301 Aquatic Chronic 2, H411

Full text of R- and H-phrases: see section 16

#### **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Allow victim to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

Immediately call a POISON CENTER or doctor/physician. Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persist.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a POISON

CENTER or doctor/physician if you feel unwell.

## 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after skin contact : Repeated exposure to this material can result in absorption through skin causing significant

health hazard. Harmful in contact with skin. Causes skin irritation.

Symptoms/injuries after ingestion : Swallowing a small quantity of this material will result in serious health hazard.

## 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

## 5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable liquid and vapour.

Explosion hazard : May form flammable/explosive vapour-air mixture.

## 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

# **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No open flames. No

smoking.

#### 6.1.1. For non-emergency personnel

Protective equipment : Safety glasses. Protective clothing. Gloves.

Emergency procedures : Evacuate unnecessary personnel.

#### 6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

## 6.3. Methods and material for containment and cleaning up

For containment : Contain leaking substance. Collect spillage.

17/03/2015 EN (English) SDS Ref.: Z182 3/11

according to Regulation (EC) No. 453/2010

Methods for cleaning up

: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

#### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Additional hazards when processed

: Handle empty containers with care because residual vapours are flammable.

Precautions for safe handling

: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. No open flames. No smoking. Take precautionary measures against static

discharge. Use only non-sparking tools.

: Strong bases. Strong acids.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.

## 7.2. Conditions for safe storage, including any incompatibilities

Technical measures

 Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof electrical, Lighting equipment

Storage conditions

: Keep only in the original container in a cool, well ventilated place away from : Ignition sources, Heat sources, Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed.

Incompatible products

Incompatible materials : Sources of ignition. Direct sunlight. Heat sources.

Storage temperature : < 25 °C

Storage area : Keep container in a well-ventilated place.

Special rules on packaging : Keep only in original container.

#### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

ethylbenzene (100-41-4)		
EU	Local name	Ethylbenzene
EU	IOELV TWA (mg/m³)	442 mg/m³
EU	IOELV TWA (ppm)	100 ppm
EU	IOELV STEL (mg/m³)	884 mg/m³
EU	IOELV STEL (ppm)	200 ppm
EU	Notes	Skin
United Kingdom	Local name	Ethylbenzene
United Kingdom	WEL TWA (mg/m³)	441 mg/m³
United Kingdom	WEL TWA (ppm)	100 ppm
United Kingdom	WEL STEL (mg/m³)	552 mg/m³
United Kingdom	WEL STEL (ppm)	125 ppm
United Kingdom	Remark (WEL)	Sk
xylene (1330-20-7)		
EU	Local name	Xylene, mixed isomers, pure
EU	IOELV TWA (mg/m³)	221 mg/m³
EU	IOELV TWA (ppm)	50 ppm
EU	IOELV STEL (mg/m³)	442 mg/m³
EU	IOELV STEL (ppm)	100 ppm
EU	Notes	Skin
United Kingdom	Local name	Xylene, o-,m-,p- or mixed isomers
United Kingdom	WEL TWA (mg/m³)	220 mg/m³
United Kingdom	WEL TWA (ppm)	50 ppm
United Kingdom	WEL STEL (mg/m³)	441 mg/m³
United Kingdom	WEL STEL (ppm)	100 ppm
United Kingdom	Remark (WEL)	Sk, BMGV
N,N-dimethylaniline (121-69-	7)	
United Kingdom	Local name	N,N-Dimethylaniline
United Kingdom	WEL TWA (mg/m³)	25 mg/m³
United Kingdom	WEL TWA (ppm)	5 ppm
United Kingdom	WEL STEL (mg/m³)	50 mg/m³

17/03/2015 EN (English) SDS Ref.: Z182 4/11

# Safety Data Sheet

according to Regulation (EC) No. 453/2010

ethylbenzene (100-41-4)		
United Kingdom	WEL STEL (ppm)	10 ppm
United Kingdom	Remark (WEL)	Sk

#### 8.2. Exposure controls

Personal protective equipment : Avoid all unnecessary exposure.

Materials for protective clothing : Impermeable clothing
Hand protection : Wear protective gloves

Eye protection : Chemical goggles or safety glasses
Skin and body protection : Wear suitable protective clothing

Respiratory protection : Wear appropriate mask. Wear respiratory protection

Other information : Do not eat, drink or smoke during use.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Liquid.
Colour : Grey.
Odour : Xylenes.

Odour threshold : No data available pH : No data available Relative evaporation rate (butylacetate=1) : No data available Melting point : No data available Freezing point : No data available Boiling point : No data available

Flash point : 24 °C

Auto-ignition temperature : No data available Decomposition temperature : No data available

Flammability (solid, gas) : Flammable liquid and vapour

Vapour pressure : No data available Relative vapour density at 20 °C : No data available Relative density : No data available Density : 1.21 - 1.25

Solubility : insoluble in water. soluble in most organic solvents.

Log Pow : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidising properties : No data available
Explosive limits : No data available

## 9.2. Other information

 VOC content
 : 499 g/l

 VOC content - Actual
 : 499 g/l

 VOC content - Regulatory
 : 499 g/l

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No additional information available

## 10.2. Chemical stability

Flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

## 10.3. Possibility of hazardous reactions

Not established.

## 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Heat. Sparks.

17/03/2015 EN (English) SDS Ref.: Z182 5/11

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

## 10.5. Incompatible materials

Strong acids. Strong bases.

## 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. May release flammable gases.

## **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Acute toxicity : Oral: Harmful if swallowed. Dermal: Harmful in contact with skin. Inhalation: Harmful if inhaled.

Skin corrosion/irritation : Causes skin irritation.

Serious eye damage/irritation : Not classified

Based on available data, the classification criteria are not met

Respiratory or skin sensitisation : Not classified

Based on available data, the classification criteria are not met

Germ cell mutagenicity : Not classified

Based on available data, the classification criteria are not met

Carcinogenicity : Not classified

Based on available data, the classification criteria are not met

Reproductive toxicity : Not classified

Based on available data, the classification criteria are not met

Specific target organ toxicity (single exposure) : Not classified

Based on available data, the classification criteria are not met

Specific target organ toxicity (repeated

exposure)

: Not classified

Based on available data, the classification criteria are not met

Aspiration hazard : Not classified

Based on available data, the classification criteria are not met

Potential adverse human health effects and

symptoms

: Harmful if swallowed. Harmful in contact with skin.

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

Ecology - water : Toxic to aquatic life with long lasting effects.

#### 12.2. Persistence and degradability

Z182		
Persistence and degradability	May cause long-term adverse effects in the environment.	
trizinc bis(orthophosphate) (7779-90-0)		
Persistence and degradability	Not established.	
12.3. Bioaccumulative potential		
Z182		
Bioaccumulative potential	Not established.	
trizinc bis(orthophosphate) (7779-90-0)		
Bioaccumulative potential	Not established.	

# 12.4. Mobility in soil

No additional information available

## 12.5. Results of PBT and vPvB assessment

No additional information available

## 12.6. Other adverse effects

Additional information : Avoid release to the environment

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Regional legislation (waste) : Disposal must be done according to official regulations.

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of

contents/container to Remove waste in accordance with local and/or national regulations.

Additional information : Handle empty containers with care because residual vapours are flammable.

Ecology - waste materials : Avoid release to the environment.

17/03/2015 EN (English) SDS Ref.: Z182 6/11

# Safety Data Sheet

according to Regulation (EC) No. 453/2010

## **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

## 14.1. UN number

 UN-No. (ADR)
 : 1263

 UN-No. (IMDG)
 : 1263

 UN-No.(IATA)
 : 1263

 UN-No.(ADN)
 : 1263

 UN-No. (RID)
 : 1263

## 14.2. UN proper shipping name

Proper Shipping Name (ADR) : PAINT
Proper Shipping Name (IMDG) : PAINT
Proper Shipping Name (IATA) : Paint
Proper Shipping Name (ADN) : PAINT
Proper Shipping Name (RID) : PAINT

Transport document description (ADR) : UN 1263 PAINT, 3, III, (D/E), ENVIRONMENTALLY HAZARDOUS

Transport document description (IMDG) : UN 1263 PAINT, 3, III, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS

## 14.3. Transport hazard class(es)

#### **ADR**

Transport hazard class(es) (ADR) : 3
Danger labels (ADR) : 3



## IMDG

Transport hazard class(es) (IMDG) : 3
Danger labels (IMDG) : 3



## IATA

Transport hazard class(es) (IATA) : 3
Hazard labels (IATA) : 3



## ADN

Transport hazard class(es) (ADN) : 3
Danger labels (ADN) : 3



# RID

Transport hazard class(es) (RID) : 3

17/03/2015 EN (English) SDS Ref.: Z182 7/11

according to Regulation (EC) No. 453/2010

Danger labels (RID) : 3

3

## 14.4. Packing group

Packing group (ADR) : III
Packing group (IMDG) : III
Packing group (IATA) : III
Packing group (ADN) : III
Packing group (RID) : III

## 14.5. Environmental hazards

Dangerous for the environment : Yes
Marine pollutant : Yes

Other information : No supplementary information available

## 14.6. Special precautions for user

## 14.6.1. Overland transport

Classification code (ADR) : F1

Special provisions (ADR) : 163, 640E, 650

Limited quantities (ADR) : 5l Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Special packing provisions (ADR) : PP1
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions : T2

(ADR)

Portable tank and bulk container special

provisions (ADR)

Tank code (ADR) : LGBF
Vehicle for tank carriage : FL
Transport category (ADR) : 3
Special provisions for carriage - Packages : V12

(ADR)

Special provisions for carriage - Operation : S2

(ADR)

Hazard identification number (Kemler No.) : 30

Orange plates

30 1263

: TP1, TP29

Tunnel restriction code (ADR) : D/E EAC code : •3YE

# 14.6.2. Transport by sea

Special provisions (IMDG) : 163, 223, 955

Limited quantities (IMDG) : 5 L

Excepted quantities (IMDG) : E1

Packing instructions (IMDG) : P001, LP01

Special packing provisions (IMDG) : PP1

 IBC packing instructions (IMDG)
 : IBC03

 Tank instructions (IMDG)
 : T2

 Tank special provisions (IMDG)
 : TP1, TP29

 EmS-No. (Fire)
 : F-E

 EmS-No. (Spillage)
 : S-E

 Stowage category (IMDG)
 : A

Properties and observations (IMDG) : Miscibility with water depends upon the composition.

17/03/2015 EN (English) SDS Ref.: Z182 8/11

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

#### 14.6.3. Air transport

PCA Excepted quantities (IATA) : E1 PCA Limited quantities (IATA) : Y344 PCA limited quantity max net quantity (IATA) : 10L PCA packing instructions (IATA) : 355 PCA max net quantity (IATA) : 60L CAO packing instructions (IATA) : 366 CAO max net quantity (IATA) : 220L Special provisions (IATA) : A3. A72 ERG code (IATA) : 3L

#### 14.6.4. Inland waterway transport

Classification code (ADN) : F1

Special provisions (ADN) : 163, 64E, 65

Limited quantities (ADN) : 5 L

Excepted quantities (ADN) : E1

Equipment required (ADN) : PP, EX, A

Ventilation (ADN) : VE01

Number of blue cones/lights (ADN) : 0

Carriage prohibited (ADN) : No

Not subject to ADN : No

## 14.6.5. Rail transport

Classification code (RID) : F1

Special provisions (RID) : 163, 640E, 650

Limited quantities (RID) : 5L Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Special packing provisions (RID) : PP1
Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions : T2

(RID)

Portable tank and bulk container special

provisions (RID)

: TP1, TP29

Tank codes for RID tanks (RID) : LGBF
Transport category (RID) : 3
Special provisions for carriage – Packages (RID) : W12

Colis express (express parcels) (RID) : CE4
Hazard identification number (RID) : 30
Carriage prohibited (RID) : No

## 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## 15.1.1. EU-Regulations

Contains no substances with Annex XVII restrictions

Z182 is not on the REACH Candidate List

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

VOC content : 499 g/l

Seveso Information : This product is subject to the Seveso Directive

## 15.1.2. National regulations

No additional information available

17/03/2015 EN (English) SDS Ref.: Z182 9/11

according to Regulation (EC) No. 453/2010

#### 15.2. **Chemical safety assessment**

No chemical safety assessment has been carried out

## **SECTION 16: Other information**

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE Data sources

COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of R-, H- and EUH-phrases:

Full text of R-, H- and EUH-phrases:	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Carc. 2	Carcinogenicity, Category 2
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Sensitisation — Skin, category 1
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H225	Highly flammable liquid and vapour
H226	Flammable liquid and vapour
H301	Toxic if swallowed
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H311	Toxic in contact with skin
H312	Harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H331	Toxic if inhaled
H332	Harmful if inhaled
H336	May cause drowsiness or dizziness
H351	Suspected of causing cancer
H373	May cause damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects
R10	Flammable
R11	Highly flammable
R20	Harmful by inhalation
R20/21	Harmful by inhalation and in contact with skin
R20/21/22	Harmful by inhalation, in contact with skin and if swallowed
R21	Harmful in contact with skin
R23/24/25	Toxic by inhalation, in contact with skin and if swallowed
R38	Irritating to skin
R40	Limited evidence of a carcinogenic effect
R41	Risk of serious damage to eyes

17/03/2015 EN (English) SDS Ref.: Z182 10/11

# Safety Data Sheet

according to Regulation (EC) No. 453/2010

R43	May cause sensitisation by skin contact
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R65	Harmful: may cause lung damage if swallowed
R66	Repeated exposure may cause skin dryness or cracking
R67	Vapours may cause drowsiness and dizziness
F	Highly flammable
N	Dangerous for the environment
Т	Toxic
Xi	Irritant
Xn	Harmful

## UPOL SDS EU (no product code)

#### For professional use only.

For professional use only. The information contained within this Safety Data Sheet (SDS) is believed to be correct as of the date issued however it is subject to change from time to time. It does not purport to be all inclusive or exhaustive and shall only be used as a guide. U-POL makes no warranties, expressed or implied, including but not limited to, any implied warranty of fitness for a given purpose or usage. It is the Buyers responsibility to ensure the suitability of the products for their own use and to check the information is up to date. U-POL cannot be held responsible for the suitability of use for any of its products, considering the wide range of factors such as application, substrates and handling methods. Since these conditions of use are outside of our control, the company shall not be held liable for any damage resulting from handling or from contact with the product detailed. Moreover, addition of reducers, hardeners or other additives over and above U-POL's recommendations for use, may substantially alter the composition and hazards of the product. U-POL data sheets are available via the U-POL website at WWW.U-POL.COM.

17/03/2015 EN (English) SDS Ref.: Z182 11/11