



V.1.0 GB
REV 06-07.2017.

High Performance Additives

MPEX®

DIESEL STOP SMOKE

Technical Datasheet





V.1.0 GB
REV 06-07.2017.

High Performance Additives

TDS

Colour/Type	Clear, Amber / Diesel Stop Smoke
Areas of usage:	All diesel engines
Environment:	Please check local requirements and MSDS
Packaging:	300ml Container
PPE:	Avoid skin contact. Refer to MSDS
Storage: Prevent	N/A
Surface prep:	None
Equipment needed:	None
Tests:	ISO9001. (For further information contact Leading Solvent Supplies Ltd)
Applying/Drying	Pour the contents of one bottle into the fuel tank before filling with diesel
Origin/Manufacture:	Leading Solvent Supplies Ltd





V.1.0 GB
REV 06-07.2017.

High Performance Additives

Useful Information

How to optimise the use of MPEX® Diesel Stop Smoke

Applications:

MPEX® Diesel Stop Smoke is formulated to reduce smoke emissions from diesel engines caused by incomplete combustion or oil consumption. MPEX® Diesel Stop Smoke promotes maximum combustion efficiency and combustion chamber cleanliness, cleaning injector channels and nozzles additionally improving total engine performance, lowering fuel consumption as well as Suppressing exhaust smoke.

Method of use:

Pour the contents of one bottle into the fuel tank before filling with diesel fuel.

Dosage:

Whenever required.

IMPORTANT

MPEX® Are manufactured by Leading Solvent Supplies Ltd. MPEX® products information are based on laboratory tests and practical experience. Since the conditions under which the product is used are often outside the control of Leading Solvent Supplies Ltd, we can only guarantee the product quality, since the result is dependent on the substrate, pre-treatment, temperature, air humidity, application etc. Leading Solvent Supplies Ltd reserves the right, without notice to change the product and the given data.

www.mpexdirect.com

Marston Business Park | Rudgate | Tockwith | YO26 7QF | United Kingdom
t. 01423 358000 | e. sales@mpexdirect.com | w. [mpexdirect.com](http://www.mpexdirect.com)

The logo for Leading Solvents, featuring a stylized 'L' made of red and blue hexagons to the left of the text 'LEADING SOLVENTS' in a bold, sans-serif font.

1078 LEA

