



V.1.0 GB  
REV 06-07.2017.

**High Performance Additives**

# **MPEX®**

## **MULTI LUBE**

# **Technical Datasheet**





V.1.0 GB  
REV 06-07.2017.

## High Performance Additives

### TDS

Colour/Type	Colourless / Multi Lube
Areas of usage:	In workshops, cars, caravans, motorcycles, bicycles, home applications, tools, etc.
Environment:	Please check local requirements and MSDS
Packaging:	400ml Aerosol
PPE:	Avoid skin contact. Refer to MSDS
Storage: Prevent	N/A
Surface prep:	None
Equipment needed:	None
Tests:	ISO9001. (For further information contact Leading Solvent Supplies Ltd)
Applying/Drying	Spray on the parts to be treated
Origin/Manufacture:	Leading Solvent Supplies Ltd





V.1.0 GB  
REV 06-07.2017.

## High Performance Additives

## Useful Information

How to optimise the use of MPEX® Multi Lube

### Applications:

MPEX® Multi Lube is a multifunctional product to clean, protect and to lubricate. Additionally it has excellent water resistant and penetrating characteristics. This multi purpose product sticks to any surface and does not affect lacquer. Rapidly loosening locked, rust or corroded parts with its effective penetrating power, effectively cleaning parts from dirt, grime and grease. Lubricates treated parts and protects against rust and corrosion, additionally removing humidity from locks, ignitions and treated parts. MPEX® Multi Lube is resistant to hot, cold and salt water and does not affect rubber, plastics or paint.

### Method of use:

Shake well before use. Spray on the parts to be treated. For loosening parts and removing humidity: allow to set a few minutes. If parts remain locked, repeat the operation.

### Dosage:

To be used whenever required.

### IMPORTANT

MPEX® Are manufactured by Leading Solvent Supplies Ltd. MPEX® products information are based on laboratory tests and practical experience. Since the conditions under which the product is used are often outside the control of Leading Solvent Supplies Ltd, we can only guarantee the product quality, since the result is dependent on the substrate, pre-treatment, temperature, air humidity, application etc. Leading Solvent Supplies Ltd reserves the right, without notice to change the product and the given data.

[www.mpexdirect.com](http://www.mpexdirect.com)

Marston Business Park | Rudgate | Tockwith | YO26 7QF | United Kingdom  
t. 01423 358000 | e. [sales@mpexdirect.com](mailto:sales@mpexdirect.com) | w. [www.mpexdirect.com](http://www.mpexdirect.com)

