



V.1.0 GB  
REV 06-07.2017.

**High Performance Additives**

# **MPEX<sup>®</sup>**

## **PETROL INJECTOR CLEANER**

### **Technical Datasheet**





V.1.0 GB  
REV 06-07.2017.

## High Performance Additives

### TDS

Colour/Type	Clear, colourless / Petrol Injector Cleaner
Areas of usage:	All petrol (leaded or unleaded) engines with injectors or carburetor. Will not harm catalytic converters.
Environment:	Please check local requirements and MSDS
Packaging:	300ml Container
PPE:	Avoid skin contact. Refer to MSDS
Storage: Prevent	N/A
Surface prep:	None
Equipment needed:	None
Tests:	ISO9001. (For further information contact Leading Solvent Supplies Ltd)
Applying/Drying	Pour the contents of one bottle in the fuel tank before filling it with petrol. One bottle treats 40 to 60 litres of petrol.
Origin/Manufacture:	Leading Solvent Supplies Ltd





V.1.0 GB  
REV 06-07.2017.

## High Performance Additives

## Useful Information

How to optimise the use of MPEX® Petrol Injector Cleaner

### Applications:

MPEX® Petrol Injector Cleaner is developed to clean and keep injectors, carburettor and the entire petrol supply system in optimal condition. Eliminating valves sticking and preventing deposits of gums, varnish and sludge therefore eliminating rough idling, hesitation or knocking. MPEX® Petrol Injector Cleaner reduces petrol consumption and protects against corrosion additionally reducing emission of hazardous exhaust gases.

### Method of use:

Pour the contents of one bottle in the fuel tank before filling it with petrol. One bottle treats 40 to 60 litres of petrol.

### Dosage:

One bottle treats 40 to 60 litres of petrol.

Normal use: one bottle every 2000 km. Intensive or sportive use: one bottle for each tank filling.

### IMPORTANT

MPEX® Are manufactured by Leading Solvent Supplies Ltd. MPEX® products information are based on laboratory tests and practical experience. Since the conditions under which the product is used are often outside the control of Leading Solvent Supplies Ltd, we can only guarantee the product quality, since the result is dependent on the substrate, pre-treatment, temperature, air humidity, application etc. Leading Solvent Supplies Ltd reserves the right, without notice to change the product and the given data.

[www.mpexdirect.com](http://www.mpexdirect.com)

Marston Business Park | Rudgate | Tockwith | YO26 7QF | United Kingdom  
t. 01423 358000 | e. [sales@mpexdirect.com](mailto:sales@mpexdirect.com) | w. [mpexdirect.com](http://www.mpexdirect.com)

